

PubMed Nucleotide Protein Genome Structure PopSet Taxonomy OMIM Books

Search PubMed Go Clear

Limits Preview/Index History Clipboard Details

Display Summary Sort Save Text Clip Add OrderShow: Items 21-29 of 29 Page 2 of 2 Select page: 1 221: Reddy BS, Hamid R, Rao CV.

Related Articles

Effect of dietary oligofructose and inulin on colonic preneoplastic aberrant crypt foci inhibition.

Carcinogenesis. 1997 Jul;18(7):1371-4.

PMID: 9230282 [PubMed - indexed for MEDLINE]

22: Vijn I, van Dijken A, Sprenger N, van Dun K, Weisbeek P, Wiemken A, Smekens S.

Related Articles, Nucleotide, Protein

Fructan of the inulin neoseries is synthesized in transgenic chicory plants (*Cichorium intybus* L.) harbouring onion (*Allium cepa* L.) fructan:fructan 6G-fructosyltransferase.

Plant J. 1997 Mar;11(3):387-98.

PMID: 9107030 [PubMed - indexed for MEDLINE]

23: Sprenger N, Schellenbaum L, van Dun K, Boller T, Wiemken A.

Related Articles, Nucleotide, Protein

Fructan synthesis in transgenic tobacco and chicory plants expressing barley sucrose: fructan 6-fructosyltransferase.

FEBS Lett. 1997 Jan 6;400(3):355-8.

PMID: 9009230 [PubMed - indexed for MEDLINE]

24: Kim M, Shin HK.

Related Articles

The water-soluble extract of chicory reduces glucose uptake from the perfused jejunum in rats.

J Nutr. 1996 Sep;126(9):2236-42.

PMID: 8814212 [PubMed - indexed for MEDLINE]

25: Henson CA, Livingston DP 3rd.

Related Articles

Purification and characterization of an oat fructan exohydrolase that preferentially hydrolyzes beta-2,6-fructans.

Plant Physiol. 1996 Feb;110(2):639-44.

PMID: 8742337 [PubMed - indexed for MEDLINE]

26: Ohta K, Hamada S, Nakamura T.

Related Articles

Production of high concentrations of ethanol from inulin by simultaneous saccharification and fermentation using *Aspergillus niger* and *Saccharomyces cerevisiae*.

Appl Environ Microbiol. 1993 Mar;59(3):729-33.

PMID: 8481000 [PubMed - indexed for MEDLINE]

127: Ramirez L.

Related Articles

Rats discriminate between starch and other substances having a similar texture.

Physiol Behav. 1993 Feb;53(2):373-7.

PMID: 8446700 [PubMed - indexed for MEDLINE]

128: Levrat MA, Remesy C, Demigne C.

Related Articles

High propionic acid fermentations and mineral accumulation in the cecum of rats adapted to different levels of inulin.

J Nutr. 1991 Nov;121(11):1730-7.

PMID: 1941180 [PubMed - indexed for MEDLINE]

129: Rolf D, Gray GR.

Related Articles

Analysis of the linkage positions in D-fructofuranosyl residues by the reductive-cleavage method.


Carbohydr Res. 1984 Aug 1;131(1):17-28.

PMID: 6488201 [PubMed - indexed for MEDLINE]

Display	Summary	▼	Sort	▼	Save	Text	Clip Add	Order
---------	---------	---	------	---	------	------	----------	-------

Show: 20 ▼ Items 21-29 of 29 Page 2 of 2 Select page: 1 2

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)



PubMed Nucleotide Protein Genome Structure PopSet Taxonomy OMIM Books

Search PubMed ☐ for processing chicory

Limits Preview/Index History Clipboard Details

Show: 20 Items 1-3 of 3

One page.

1: Druart N, Goupil P, Dewaele E, Boutin JP, Rambour S.

Related Articles

Nitrate assimilation in chicory roots (*Cichorium intybus* L.) which acquire radial growth.

J Exp Bot. 2000 Mar;51(344):539-46.

PMID: 10938810 [PubMed - indexed for MEDLINE]

2: Lalljie SP, Vindevogel J, Sandra P.

Related Articles

Quantitation of organic acids in sugar refinery juices with capillary zone electrophoresis and indirect UV detection.

J Chromatogr A. 1993 Oct 22;652(2):563-9.

PMID: 8287143 [PubMed - indexed for MEDLINE]

3: Pereira de Souza A, Jubier MF, Lejeune B.

Related Articles

The higher plant nad5 mitochondrial gene: a conserved discontinuous transcription pattern.

Curr Genet. 1992 Jul;22(1):75-82.


PMID: 1377099 [PubMed - indexed for MEDLINE]

Write to the Help Desk

NCBI | NLM | NIH

Department of Health & Human Services

Freedom of Information Act | Disclaimer


☐ Drafts

☒ Pending

☒ Active

- ☒ L1: (39088) chicory roots
- ☒ L2: (2023) inulin
- ☒ L3: (2138) inulin or fructan
- ☒ L4: (231) fructan exohydroxylase
- ☒ L5: (7598) groe\$
- ☒ L6: (2274278) grow\$ condition\$
- ☒ L7: (2263423) low sugar
- ☒ L8: (1391085) degree of polymerisation
- ☒ L9: (24752) 11 and 16
- ☒ L10: (131) 19 and 13
- ☒ L12: (89) 110 and 18
- ☒ L11: (38) 110 and 14

Search

List

☒ Synonyms

t all hit terms initially

110 and 14

	Issue D	Page	Title	Current	Current
29	1997082	16	Method for	426/658	210/656
			generating a polydisperse		• 426/6
30	1997081	9	Agglomerated	426/453	426/565
			composition process		• 426/6
31	1996061	12	Compositions having	426/573	426/658
			a creamy structure		• 426/6
32	1996032	6	Inulin derivatives,	536/123	536/124

☒ Hits

☐ Details

Ready

NUM